

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

What is claimed is:

1. (Currently Amended) A door handle assembly attachable to a door that defines an attachment surface, the door handle assembly comprising:

a handle coupled to the door;

an actuator coupled to the door;

a latch bolt coupled to the ~~handle~~ actuator and movable along a latch bolt axis between an extended position and a retracted position; and

an attachment member defining an attachment axis that is substantially parallel to the attachment surface, the attachment member being movable along the attachment axis relative to the handle between a first position and a second position to at least partially couple the handle to the door.

2. (Original) The door handle assembly of claim 1, wherein the first position is a first distance from the latch bolt axis and the second position is a second distance from the latch bolt axis, the first distance being different from the second distance.

3. (Original) The door handle assembly of claim 1, wherein the latch bolt axis is substantially perpendicular to the attachment axis.

4. (Original) The door handle assembly of claim 3, wherein the attachment member is movable along an adjustment axis, the adjustment axis being substantially perpendicular to the latch bolt axis.

5. (Original) The door handle assembly of claim 1, wherein the handle includes a slot and the attachment member includes a shoulder portion engageable with the slot.

6. (Currently amended) The door handle assembly of claim 1, ~~further comprising~~ wherein the handle includes a base attached to the handle, the base defining that defines a slot.

7. (Currently Amended) ~~The door handle assembly of claim 6,~~ A door handle assembly attachable to a door, the door handle assembly comprising:

- a handle coupled to the door;
- an actuator coupled to the door;
- a latch bolt coupled to the ~~handle~~ actuator and movable along a latch bolt axis between an extended position and a retracted position; and
- an attachment member defining an attachment axis, the attachment member being movable relative to the handle between a first position and a second position, wherein the handle includes a base that defines a slot, and wherein the attachment member includes a T-shaped slider slidably engageable with the slot.

8. (Original) The door handle assembly of claim 7, further comprising a cover member coupled to the handle to at least partially cover the attachment member.

9. (Original) The door handle assembly of claim 7, further comprising a bolt threadably engageable with the T-shaped slider.

10-20. (Cancelled)

21. (New) A door handle assembly attachable to a door that defines an attachment surface, the door handle assembly comprising:

a handle having a first end and a second end, the handle coupled to the door;

an attachment member coupled to the second end and having an orientation that is substantially fixed with respect to the second end, the attachment member movable within a plane that is substantially parallel to the attachment surface.

22. (New) The door handle assembly of claim 21, wherein the attachment member is adapted to receive a fastener along an axis that is substantially perpendicular to the surface.

23. (New) The door handle assembly of claim 21, further comprising a base fixedly attached to the second end, the base defining a slot.

24. (New) The door handle assembly of claim 23, wherein the attachment member includes a slider engaged with the slot and movable within the slot between a first position and a second position.

25. (New) The door handle assembly of claim 24, wherein the attachment member is substantially T-shaped.

26. (New) The door handle assembly of claim 23, wherein the slot defines an adjustment axis that extends along a line between the first end and the second end.